



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to Commissioner of Patents and Trademarks, Washington, D.C. 20231 on March 5, 2002.

Daryl A. Albus

Applicant : Francis M. Reininger
 Application No. : 09/547,790
 Filed : April 12, 2000
 Title : SPATIALLY MODULATED INTERFEROMETER AND BEAM
 SHEARING DEVICE THEREFOR
 Grp./Div. : 2877
 Examiner : to be assigned
 Docket No. : 39260/RAG/C766

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents
 Washington, D.C. 20231

Post Office Box 7068
 Pasadena, CA 91109-7068
 March 5, 2002

Commissioner:

In compliance with the duty of disclosure under 37 CFR §§ 1.56, 1.97 and 1.98, and in accordance with the provisions in the Manual of Patent Examining Procedure §§ 609 and 707.05(b), enclosed is FORM PTO/SB/08A/B listing the references that are known to applicant. Copies of each of the listed references are enclosed. This filing is timely because it is made during one of the periods described in 37 CFR § 1.97(b). To the best of undersigned's knowledge, this Statement is being filed before the mailing date of a first Office action on the merits.

It is respectfully requested that the listed references be considered in the examination of this application and identified on the list of references cited on the patent issuing for this application. Applicant also requests that an initialed copy of FORM PTO/SB/08A/B be entered in the application file and returned to applicant with the next communication from the Office in accordance with MPEP § 609. Any deficiency of fees for this transaction should be charged or credited to Deposit Account No. 03-1728. Please show our docket number with any Deposit Account transaction.

Respectfully submitted,

CHRISTIE, PARKER & HALE, LLP

By

John W. Peck
 John W. Peck, Ph.D.
 Reg. No. 44,284
 626/795-9900

JWP/daa

Enclosures: PTO/SB/08A/B, w/references

DAA PAS418777.1*-3/5/02 4:48 PM